

TRIED AND TRUE

FULL LINE CATALOG



LIGHT IT UP

When you're working hard, the right lighting might not be your first priority – but at Saf-T-Lite® that's all we think about. With a full line of portable, dependable safety lights, power supply reels and accessories, you can count on Saf-t-Lite products to work as hard as you do. So when you need a bright spot, don't settle for anything less than Saf-T-Lite. Proudly made by hand in the U.S.A.

HANDHELD LIGHTS

PAGE 06



STUBBY®
PAGE 08



STUBBY® XL
PAGE 10



**STUBBY® II
CORDLESS**
PAGE 11



STUBBY® II
PAGE 12



**STUBBY® II WITH
ENDLIGHT**
PAGE 14



XP87B
PAGE 16



XP162
PAGE 16



XP99
PAGE 17



STUB™
PAGE 18



HOOD LIGHT
PAGE 19



POWER SUPPLY REELS

PAGE 20

SERIES 4000 POWER SUPPLY

PAGE 23

MIDSIZE POWER SUPPLY REEL

PAGE 24



COMMERCIAL POWER SUPPLY REEL

PAGE 25



REVERSE POWER SUPPLY REEL

PAGE 25



SERIES 900 POWER SUPPLY REEL

PAGE 25



INDUSTRIAL LIGHTS

PAGE 28



MACHINE LIGHTS

PAGE 30



STRING LIGHTS

PAGE 32

INDUSTRIAL/MACHINE LIGHTING

PAGE 26



MOUNTING ACCESSORIES

PAGE 34



SAFTLITE™

TIME TESTED SINCE 1962

The Saf-T-Lite story begins in 1962 when General Manufacturing first developed portable fluorescent lighting for the automotive aftermarket. A revolutionary design, this advanced lamp encased all the electrical components inside the light fixture itself, which was protected by a hard outer tube and soft end caps. The cool operating design needed a brand name that highlighted its ultimate feature — safety. That was the beginning of Saf-T-Lite®.

Today, Saf-T-Lite has a complete line of portable LED work lights, machine lights, hazardous location lights and cordless LED lights. We also offer a full range of power supply reels, including integrated circuit breakers and GFCI outlets.

Saf-T-Lite. Where unmatched safety meets convenience.

FOREVER WARRANTY™

We believe in the design of our products and the people who build them. We back it up with our Forever Warranty when you purchase any Saf-T-Lite product.

If our product fails to perform due to defect or workmanship, General Manufacturing will repair or replace (company option) the item at no charge to you. Simply return the product to General Manufacturing with our prepaid shipping label and if the product is defective, it will be serviced and returned at no charge. Abuse or modifications will void the warranty. Due to limited-service life, rechargeable batteries have a one-year warranty.

ZIP SHIP

All items in this catalog with a yellow dot (●) **SHIPS IN ONE BUSINESS DAY OR LESS** (four case maximum). The Zip Ship program delivers on our promise of customer service and pain-free shipping with no inventory to carry.



**BUILT WITH
PRIDE IN
AMERICA**

HANDHELD LIGHTS

Putting safe, reliable and convenient lighting into the palm of your hand is what we're all about at Saf-T-Lite. What started as a simple idea for auto mechanics has grown into an array of handheld lights that are made to tackle any job.

The common denominator to all our handheld lights is quality. Whatever the size or use, our lights are made to stand up to harsh environments and deliver performance time and time again. Whichever of our lights fits your needs, you're in good hands.





THE ORIGINAL

OFTEN IMITATED,
NEVER DUPLICATED



1413-5000

STUBBY®

The Stubby is constructed around a highly efficient LED replaceable lamp with Light Smoothing Technology. The lightweight outer shell is designed to withstand the most rigorous and abusive conditions. The Stubby can be purchased on a retractable cord reel, with a standard cord or as a replaceable head kit.

LUMENS: 620

LIGHT: 4,000K

RATED: 50,000 hours

- > Light Smoothing Technology™
- > Covered on/off switch
- > Polycarbonate outer tube
- > Adjustable twin steel hook
- > Auto reel available
- > 10 AMP inline tool tap models available



3313-4000

REEL MODELS

MODEL NUMBER	REEL TYPE	TOOL TAP	GAUGE	CORD TYPE	CORD LENGTH	CAP COLOR
1940-4010	Commercial	Yes	16/3	SJTOW-A	40'	Black
● 1940-4011	Commercial	No	18/2	SJTOW-A	40'	Black
1940-4012	Auto commercial	No	18/2	SJTOW-A	40'	Black
1940-4020	Black commercial	No	16/3	SJTOW-A	40'	Black
1950-4000	Midsized	No	16/3	SJTOW-A	50'	Black
1950-4001	Midsized	Yes	16/3	SJTOW-A	50'	Black
● 3313-4000	Commercial	No	18/2	SJTOW-A	40'	Yellow
3413-4000	Auto commercial	No	18/2	SJTOW-A	40'	Yellow

CORD MODELS

MODEL NUMBER	TOOL TAP	GAUGE	CORD TYPE	CORD LENGTH	CAP COLOR
● 1413-2500	No	18/2	SJTOW-A	25'	Yellow
● 1413-5000	No	18/2	SJTOW-A	50'	Yellow
1901-4001	No	18/2	SJTOW-A	1'	Black
● 1925-4009	No	18/2	SJTOW-A	25'	Black
1925-4010	Yes	16/3	SJTOW-A	25'	Black

A. BACK IN BLACK EDITION

Boasting a monotone all black exterior and backed by Saf-T-Lite's forever warranty (1940-4020)

B. LIGHT SMOOTHING TECHNOLOGY™

Patented light technology that reduces glare and shadows

C. AVAILABLE INLINE TOOL TAP

10 AMP tool tap with hinged outlet cover keeps dirt and debris out

D. TWIN STEEL HOOK

Virtually unbreakable, hang your light anywhere with the fully adjustable hook

HEADKIT/REPLACEMENT

MODEL NUMBER	DESCRIPTION	GAUGE	CAP COLOR
● 5165-0223	Headkit	18/2, 18/3, 16/2	Black
5165-0225	Headkit	16/3	Black
● 5165-9501	Headkit	18/2, 18/3, 16/2	Yellow
5165-9504	Headkit, no switch for auto reel	18/2, 18/3, 16/2	Yellow
5165-9514	Headkit	16/3	Yellow
5000-2254	Replacement LED lamp	—	—
5000-2003	13 Watt fluorescent lamp	—	—

● Ships in one business day or less



LARGE AND IN CHARGE

STUBBY® XL



3208-4000



3208-4002

STUBBY® XL

The Stubby XL is a 22" fixture that produces 1,150 lumens of light. Pair it with a couple of our 5000-1030 mag-mounts and this combo becomes one of the most versatile lights in the Saf-T-Lite arsenal. The Stubby XL spreads an even amount of light over a large work area.

LUMENS: 1,150

LIGHT: 4,000K

RATED: 50,000 hours

- > Light Smoothing Technology™
- > Covered on/off switch
- > Polycarbonate outer tube
- > Adjustable twin steel hook
- > Auto reel available

MODEL NUMBER	DESCRIPTION	GAUGE	CORD TYPE	CORD LENGTH	CAP COLOR
● 1215-2500	Cord	18/2	SJTOW-A	25'	Yellow
3208-4000	Auto reel	18/2	SJTOW-A	40'	Yellow
3208-4002	Black reel	16/3	SJTOW-A	40'	Black
● 3215-4000	Reel	18/2	SJTOW-A	40'	Yellow
5165-9502	Headkit	18/2, 18/3, 16/2	SJTOW-A	—	Yellow
5000-2263	Replacement lamp	—	—	—	—

● Ships in one business day or less



2302-0012

STUBBY® II CORDLESS

Our Stubby II Cordless meets the needs of many industries. Stubby II Cordless offers a bright side work light, flashlight feature, long runtime and comes with the legendary Saf-T-Lite durability that you've come to expect.

LUMENS: 600 worklight, 125 flashlight

LIGHT: 5,000K

RATED: 50,000 hours

RUN TIME: 6 hours

- > Lithium-ion rechargeable battery
- > Covered on/off switch
- > Polycarbonate outer tube
- > Adjustable twin steel hook
- > Batteries have one year warranty

MODEL NUMBER	DESCRIPTION	NUMBER OF BATTERIES	CHARGER INCLUDED	BUMPER COLOR
● 2302-0011	Stubby II cordless	1	Yes	Black
● 2302-0012	Stubby II cordless	2	Yes	Black
● 5000-1618	Battery charger	N/A	Yes	—
● 5000-1639	Lithium-ion battery	1	No	—

● Ships in one business day or less

**LIGHT
WORK**

**STUBBY® II
CORDLESS**



AIM. LIGHT. FIX.

MEET THE STUBBY® II



1113-2500

STUBBY® II

Prefer a handle on your hand-held worklight? We've incorporated the durability and flexibility of the Stubby with a handle. Our bright 1,000 lumens Stubby II features a replaceable lamp and can be purchased on a retractable cord reel, with a standard cord or as a replaceable head kit. Designed with day-in-day-out dependability in mind, you will find this light will surpass your needs in the shop.

LUMENS: 1,000

LIGHT: 5,000K

RATED: 50,000 hours

- > Light Smoothing Technology™
- > Covered on/off switch
- > Polycarbonate outer tube
- > Adjustable twin steel hook
- > Auto reel available
- > X-Treme Shield™ (chemical resistant outer tube) models available
- > 10 AMP inline tool tap models available



4050-2670

A. AVAILABLE X-TREME SHIELD™

Protects your tool with a chemical and solvent resistant outer tube coating (1113-2576, 1113-2577, 1113-5034, 3613-4077)

B. LIGHT CUSHION AND BUMPER

Allows maximum light out, yet protects the lamp from impact

C. ANTI-ROLL DESIGN

Never worry about your work light rolling on the floor with our innovated anti-roll design

D. AVAILABLE AUTO REEL

Simply pull the light down to turn it on, shuts off automatically when retracted (3613-3500)

REEL MODELS

MODEL NUMBER	REEL TYPE	TOOL TAP	X-TREME SHIELD™	GAUGE	CORD TYPE	CORD LENGTH	HANDLE COLOR
● 3613-3500	Auto reel	No	No	18/2	SJTOW-A	40'	Yellow
● 3613-4000	Commercial	No	No	18/2	SJTOW-A	40'	Yellow
● 3613-4001	Commercial	Yes	No	16/3	SJTOW-A	40'	Yellow
3613-4077	Commercial	No	Yes	18/2	SJTOW-A	40'	Yellow
4050-2670	Series 4000	Yes	No	16/3	SJTOW-A	50'	Yellow



CORD MODELS

MODEL NUMBER	TOOL TAP	X-TREME SHIELD™	GAUGE	CORD TYPE	CORD LENGTH	HANDLE COLOR
1113-0101	No	No	16/3	SJTOW-A	1'	Yellow
● 1113-2500	No	No	18/2	SJTOW-A	25'	Yellow
1113-2502	Yes	No	16/3	SJTOW-A	25'	Yellow
1113-2576	No	Yes	18/2	SJTOW-A	25'	Yellow
1113-2577	Yes	Yes	16/3	SJTOW-A	25'	Yellow
1113-5000	No	No	18/2	SJTOW-A	50'	Yellow
1113-5034	Yes	Yes	16/3	SJTOW-A	50'	Black

HEADKIT/REPLACEMENT

MODEL NUMBER	DESCRIPTION	GAUGE	HANDLE COLOR
● 5165-9519	Headkit without end light	16/3	Yellow
● 5165-9520	Headkit without end light	18/2, 18/3, 16/2	Yellow
● 5165-9541	Headkit, no switch for auto reel	18/2, 18/3, 16/2	Yellow
5165-9569	Headkit without end light	18/2	Yellow
5000-2261	Replacement LED lamp, without end light	—	—

● Ships in one business day or less



GRAB PRODUCTIVITY BY THE NECK



1925-2023

STUBBY® II WITH ENDLIGHT

Our professional grade Stubby II offers a side worklight and endlight features. While all Stubby II products fit comfortably in your hand, this particular product creates a smooth, nearly shadowless light output using Light Smoothing Technology. The professional grade Stubby II with endlight is available in standard corded and retractable reel models, making it an integral tool in any shop or toolbox.

LUMENS: 1,000, 162 end light

LIGHT: 5,000K

RATED: 50,000 hours

- > Light Smoothing Technology™
- > Covered on/off switch
- > Polycarbonate outer tube
- > Adjustable twin steel hook
- > X-Treme Shield™ (chemical resistant outer tube) models available
- > 10 AMP inline tool tap models available



1950-8008

REEL MODELS

MODEL NUMBER	REEL TYPE	TOOL TAP	X-TREME SHIELD™	GAUGE	CORD TYPE	CORD LENGTH	HANDLE COLOR
● 1935-8006	Commercial	Yes	No	16/3	SJTOW-A	35'	Black
1935-8007	Commercial	Yes	Yes	16/3	SJTOW-A	35'	Black
● 1940-8011	Commercial	No	No	18/2	SJTOW-A	40'	Black
1940-8021	Commercial	Yes	No	16/3	SJTOW-A	40'	Black
1940-8041	Black commercial	No	No	16/3	SJTOW-A	40'	Black
1950-8007	Midsized	Yes	No	16/3	SJTOW-A	50'	Black
1950-8008	Midsized	No	No	16/3	SJTOW-A	50'	Black
4050-2004	Series 4000	Yes	No	16/3	SJTOW	50'	Black
4050-2005	Series 4000	Yes	Yes	16/3	SJTOW	50'	Black

CORD MODELS

MODEL NUMBER	TOOL TAP	X-TREME SHIELD™	GAUGE	CORD TYPE	CORD LENGTH	HANDLE COLOR
1901-2008	No	No	16/3	SJTOW-A	1'	Black
1925-2023	No	No	18/2	SJTOW-A	25'	Black
1925-2024	No	Yes	18/2	SJTOW-A	25'	Black
● 1925-2025	Yes	No	16/3	SJTOW-A	25'	Black
1925-2026	Yes	Yes	16/3	SJTOW-A	25'	Black
● 1950-2010	Yes	Yes	16/3	SJTOW-A	50'	Black
1950-2012	No	Yes	18/2	SJTOW-A	50'	Black

A. END LIGHT

Get a closer look with the 162 lumen inspection light

B. AVAILABLE INLINE TOOL TAP

10 AMP tool tap with hinged outlet cover keeps dirt and debris out

C. ADJUSTABLE STEEL HOOK

Hang your work light virtually anywhere with the adjustable steel hook

D. MULTIMODE/SEALED SWITCH

Keep grease and dirt out with the water resistant sealed multimode switch

HEADKIT

MODEL NUMBER	DESCRIPTION	GAUGE	HANDLE COLOR
● 5165-0202	Headkit with end light	18/2, 18/3, 16/2	Black
● 5165-0203	Headkit with end light	16/3	Black

● Ships in one business day or less





IN A CLASS OF THEIR OWN

CLASS 1 AND 2 WORK LIGHTS FOR EXTREME ENVIRONMENTS



XP87B
2831-2000



XP162
4325-4000

EXPLOSION PROOF/ CONFINED SPACE

Working in potentially challenging environments is not the time to trust just any gear. Stay safe anywhere with our explosion proof lights. Engineered to withstand heavy impact, these lights are built with non-sparking aluminum alloy guards and tough, corrosion resistant outer material and feature durable handles and hooks. There are a number of different design options available.

XP87B FLUORESCENT

- > 26 watt produces 1800 lumens, rated at 10,000 hours
- > Guard, handle and hook are all made of Zytel 801ST corrosion resistant material

XP99 SEALED BEAM

- > 50 Watt sealed beam is protected by an aluminum guard
- > Durable phenolic handle

XP162 INCANDESCENT

- > 100 Watt, bulb and glass globe are protected by non-sparking high impact aluminum alloy guard
- > 360 degree of lighting



XP99
4350-1502

POWER SUPPLY/TRANSFORMER

MODEL NUMBER	DESCRIPTION
2811-2027	Double universal 90-264VAC/12VDC, 50/60HZ, power supply in GMI enclosure, with two weatherproof 15A twist lock receptacles on 6" 16/3 SOW cords, with 10' 16/3 SOW black power supply cord with Eagle 15A plug, less potentiometer and indicator light. Will drive two XP87B, 15W, 24W or 26W lights or one 36W PLL lite.
2812-0000	Double transformer power supply, for two 50W or 75W 12VAC light heads. Double 120VAC/12VAC transformers mounted in GMI manufactured universal enclosure with aluminum lid, less potentiometer and indicator light, with 10' 16/3 SOW black supply cord with 15A add-on plug and two K&H watertight twist lock receptacles mounted from 6" spiral cord strain reliefs on handle.

XP87B

MODEL NUMBER	DESCRIPTION	HAZARDOUS CLASS	RATING GROUP	WATTS	VOLTS	CORD TYPE	CORD LENGTH
2831-2000	XP87B, <small>With universal 90-264VAC/12VDC transformer</small>	1, 2	C, D, F, G	26	120	16/3	50'
4425-4009	XP87B, Cord, no plug	1, 2	C, D, F, G	26	120	16/3	25'
4450-2008	XP87B, <small>Cord twist lock plug, use with 2811-2027</small>	1, 2	C, D, F, G	26	120	16/3	50'
4450-4008	XP87B, Cord, no plug	1, 2	C, D, F, G	26	120	16/3	50'

XP99

MODEL NUMBER	DESCRIPTION	HAZARDOUS CLASS	RATING GROUP	WATTS	VOLTS	CORD TYPE	CORD LENGTH
4325-1500	XP99, Cord, no plug	1	D	50	12	16/3	25'
4350-1500	XP99, Cord, no plug	1	D	50	12	16/3	25'
4350-1502	XP99, <small>Cord twist lock plug, use with 2812-0000</small>	1, DIV 1	C, D	50	12	16/3	50'

XP162

MODEL NUMBER	DESCRIPTION	HAZARDOUS CLASS	RATING GROUP	WATTS	VOLTS	CORD TYPE	CORD LENGTH
4325-4000	XP162, Cord, no plug	1	C, D	100	12	16/3	25'
4350-4000	XP162, <small>Cord on auto reel, no plug</small>	1	C, D	100	12	16/3	50'

HEADKIT/REPLACEMENT

MODEL NUMBER	DESCRIPTION	HAZARDOUS CLASS	RATING GROUP	WATTS	VOLTS
5000-2102	Replacement lamp for XP87B and quad industrial lights PLC26W/41/4P	1, 2	C, D, F, G	26	120
5165-9555	XP162 Headkit	1	C, D	100	120
5165-9582	XP99 Headkit	1	D	50	12
5165-9684	XP87B Headkit	1,2	C, D, F, G	26	120

A. XP87B

Made of corrosion resistant, lightweight Zytel plastic, the XP87B has a fully adjustable hook and comes with a grounded plug

B. XP162


The outer shell is made of corrosion resistant, non-sparking metal, it comes with a rotating hook and provides 360 degrees of light

C. POWER SUPPLY BOX

Safely powers lights with quick disconnect capability and two secondary 6" cords with twist lock receptacles

D. XP99

Excellent for inspecting large vessels or vats, the XP99 is made of corrosion resistant, non-sparking metal and has 100K candlepower





SMALL YET MIGHTY

3 LIGHTS IN 1



2304-0001



1020-0002

STUB™

The Stub is a small compact work light that fits comfortably in your pocket. It's loaded with awesome features like a UV leak detection light, two magnetic points for hands free work and a bright wide-angle work light. Take the Stub camping, hunting or while you're working on the car in the garage. There isn't a job too big or small for the Stub.

LUMENS: 300 work light, 100 inspection light
RUN TIME: 8 hours

- > UV leak detection
- > Strong aluminum body
- > Magnetic base
- > Strong belt clip with integrated magnet
- > Comes with wall charger and mini USBC cord
- > 6 pack counter top display

3 LIGHTS IN 1



WORK LIGHT



UV LEAK DETECTION LIGHT



INSPECTION LIGHT

MODEL NUMBER	DESCRIPTION	CHARGER INCLUDED	COLOR
● 2304-0001	Stub Compact Work Light	Yes	Yellow
● 1020-0002	Knuckle Multi-Angled Platform	No	Black and chrome

● Ships in one business day or less



HOOD LIGHT

Designed for professionals and do-it-yourself mechanics, the Hood Light's elongated shape is designed to brighten even the darkest corners of a vehicle. It includes convenient mounting hardware that straps easily and safely to the hood for hands-free use. Light Smoothing Technology delivers uniform light output with minimal shadows.

LUMENS: 1,400
LIGHT: 5,000K
RATED: 50,000 hours

- > Light Smoothing Technology™
- > Covered on/off switch
- > Polycarbonate outer tube
- > Adjustable twin steel hook
- > Mounting accessories included



ADJUSTABLE STEEL HOOK



MOUNTING ACCESSORIES INCLUDED



POLYCARBONATE OUTER TUBE

MODEL NUMBER	DESCRIPTION	FIXTURE LENGTH	WATTS	GAUGE	CORD TYPE	CORD LENGTH	CAP COLOR
1225-2501*	Cord	40"	12	16/3	SJTOW	25'	Yellow

*With two horizontal hanging hooks

HOOD LIGHT

GIVE YOUR PROJECT THE THIRD DEGREE



POWER SUPPLY REELS

Dependable lighting is only part of the equation. You also need a safe and reliable way to deliver electrical power when and where you need it. Saf-T-Lite power supply reels are designed to last, even with repeated daily use, and built to stand up to even the toughest environments.

Saf-T-Lite power supply reels not only deliver powerful performance and lasting durability, they also provide the ultimate in safety. Added features such as Saf-T-Lok, lighted power indicators, easy rollers for smooth rollouts and take-ups and mounting options you can trust make safety a priority. Another reason to put the power of Saf-T-Lite in your hands.





REEL POWER

UP TO 20 AMPS

The logo for SAFTLITE, featuring the brand name in a stylized, bold, yellow font with a black outline, set within a black shield-like shape. The shield is mounted on a circular black reel with a silver-colored metal rim. The reel is attached to a white mounting bracket on a vertical pole. A black power cord extends from the reel down to a grey electrical control box with a red emergency stop button.

SAFTLITE



SERIES 4000 POWER SUPPLY

If you need a heavy duty power supply reel that can handle anything and everything, the Series 4000 is the one for you. With cord lengths up to 50' and several outlet options, our Series 4000 power supply reel is designed to take the hard, everyday use that any industry throws at it.

CAPACITY: 13 - 20 AMP
CORD: 40' - 50'

- > Single, duplex with GFCI and Saf-T-Lok™ outlets available
- > 16/3 - 12/3 gauge cord options
- > Adjustable guide arm for ceiling, wall or bench mount

POWER SUPPLY

A. AVAILABLE SAF-T-LOK™ OUTLET

Lights up when power is connected, locks cord so you never accidentally unplug

B. AVAILABLE DUPLEX OUTLET

Duplex ground-fault circuit interruption outlet

C. ADJUSTABLE GUIDE ARM

Mount to ceilings, walls or benches

MODEL NUMBER	OUTLET TYPE	AMP RATING	GAUGE	CORD TYPE	CORD LENGTH	CORD COLOR
● 4040-3203	Saf-T-Lok™	15	12/3	SJTOW	40'	Black
4040-4201	Duplex GFCI	20	12/3	SJTOW	40'	Black
4045-3400	Single	15	14/3	SJTOW	45'	Black
4045-4401	Duplex GFCI	15	14/3	SJTOW	45'	Black
4050-3600	Single	15	16/3	SJTOW	50'	Black
4050-4601	Duplex GFCI	15	16/3	SJTOW	50'	Black

● Ships in one business day or less



A



B



C



A



B



C



2200-3000



QUAD OUTLET
AVAILABLE (2201-4000)

MIDSIZE POWER SUPPLY REEL

Midsize power supply reels deliver power where you need it. Mount them on the ceiling, wall or work bench. Remove the locking pin and take it with you. There are several outlet options to choose from: triple or quad tap outlet with circuit breaker and our Saf-T-Lok outlet.

CAPACITY: 15 AMP
CORD: 40' - 65'

- > Triple outlet and quad outlet have overload protection
- > Poly blended plastic is extremely durable
- > Saf-T-Lok™ outlet available

MODEL NUMBER	OUTLET TYPE	AMP RATING	GAUGE	CORD TYPE	CORD LENGTH	CORD COLOR
● 2200-3000	Triple	15	12/3	SJTOW	40'	Yellow
● 2200-3011	Saf-T-Lok™	15	12/3	SJTOW	40'	Yellow
● 2201-4000	Quad	15	12/3	SJTOW	65'	Yellow

- Ships in one business day or less

A. LOCKING PIN & SAFETY CHAIN
Quick release locking pin when you need to move location

B. AVAILABLE SAF-T-LOK™ OUTLET
Lights up when power is connected, locks cord so you never accidentally unplug (2200-3011)

C. MOUNTING HARDWARE
Steel bracket for mounting to the ceiling or wall



2630-3000



SAF-T-LOK™ AVAILABLE (2630-1016, 2640-5001, 2640-5009)

COMMERCIAL POWER SUPPLY REEL

This 9" diameter commercial power supply reel is perfect for any facility where the typical "trip hazard" extension cord is frowned upon. Mounting bracket and hardware are included for easy set up. There are many cord lengths and outlet options available to help you get the job done.

CAPACITY: 7 - 10 AMP
CORD: 30' - 50'

- > Mounting hardware included
- > 9" diameter steel construction reel
- > Triple outlet with circuit breaker available
- > Saf-T-Lok™ outlet available

MODEL NUMBER	OUTLET TYPE	AMP RATING	GAUGE	CORD TYPE	CORD LENGTH	CORD COLOR
● 2630-1000	Single	10	16/3	SJTOW	30'	Black
2630-1016	Saf-T-Lok™	10	16/3	SJTW	30'	Black
● 2630-3000	Triple	10	16/3	SJT	30'	Yellow
● 2630-3019	Triple	10	16/3	SJT	30'	White
2640-5001	Saf-T-Lok™	10	16/3	SJTW	40'	Yellow
2640-5009	Saf-T-Lok™ Black reel	10	16/3	SJTOW	40'	Black
● 2650-1000	Single	7	18/3	SJTOW	50'	Black

● Ships in one business day or less

REVERSE POWER SUPPLY REEL

Perfect for use on mobile carts, work benches and cabinets with 10' or 30' cord lengths.

CAPACITY: 10 AMP
CORD: 10' - 30'

- > Mounting hardware included
- > 6.5" - 9" diameter steel construction reel
- > Hospital grade receptacle and plug



2630-1013

MODEL NUMBER	OUTLET TYPE	AMP RATING	GAUGE	CORD TYPE	CORD LENGTH	CORD COLOR
2610-0039	6.5" Single hospital grade outlet	10	16/3	SJT	10'	Black
2630-1013	9" Single hospital grade outlet	10	16/3	SJTOW	30'	Black

SERIES 900 POWER SUPPLY REEL

At only 6.5 inches in diameter this compact reel delivers big performance.

CAPACITY: 7 AMP
CORD: 20'

- > Mounting hardware included
- > 6" diameter steel construction reel



MODEL NUMBER	OUTLET TYPE	AMP RATING	GAUGE	CORD TYPE	CORD LENGTH	CORD COLOR
2620-1000	Single	7	18/3	SVT	20'	Black

INDUSTRIAL/ MACHINE LIGHTING

Proudly built by hand in the U.S.A., Sat-T-Lite's heavy duty industrial and commercial lighting works as hard as you do. Designed to withstand intense, prolonged use in demanding conditions, these lights provide proven performance.

Lighting matters, especially in industrial locations where dimness and shadows can create danger. Our lights are engineered to not only meet, but exceed safety standards in order to help protect workers. We also offer a large assortment of industrial lights to meet specific needs, applications and environments.



TURN TO A HIGHER POWER

UP TO 7,200 LUMENS



2020-4001

INDUSTRIAL LIGHTS

Long lasting and durable, you can depend on our industrial lights to work in any industrial condition, with options ranging from 1,100 - 7,200 lumens and fixture lengths from 20" to 51". Our mounting solutions allow for easy, temporary portable use or fixed operation.

LUMENS: 1,100 - 7,200
LIGHT: 5,000K
RATED: 50,000 hours

- > Fixture lengths 20" - 51"
- > 110, 210, 310 degrees of light angles
- > Polycarbonate outer tube
- > Different mounting and hanging options available
- > Anti-roll and impact resistant end caps available



1650-3016

MODEL NUMBER	TYPE/SERIES	WATTS	LUMENS	FIXTURE LENGTH	SWITCH	GAUGE	CORD TYPE	CORD LENGTH
1624-2016	LD	10	1,100	20"	Inline	16/	SJEOW-A	25'
1650-3015	LD	18	2,160	30"	Inline	16/3	SJEOW-A	25'
1650-3016	LD	18	2,160	30"	Inline	16/3	SJEOW-A	50'
2010-4001	110	10	1,200	28"	Inline	16/3	SJTOW-A	25'
2020-4000	210	20	2,400	28"	Inline	16/3	SJTOW-A	25'
● 2020-4001	210	20	2,400	51"	Inline	16/3	SJTOW-A	25'
2030-4002	310	30	3,600	28"	Inline	16/3	SJTOW-A	25'
2040-4000	210	40	4,800	51"	Inline	16/3	SJTOW-A	25'
2060-4001	310	60	7,200	51"	Inline	16/3	SJTOW-A	25'

● Ships in one business day or less

A. 310 DEGREES OF LIGHT

The most versatile light with up to 310 degrees of light angles (2060-4001)

B. POLYCARBONATE TUBE

Protect your light with a virtually unbreakable outer tube

C. ANTI-ROLL END CAPS

Patented soft end caps absorb impacts and prevent light from rolling

D. OIL RESISTANT CORD

Watertight, oil resistant, cold weather rated cord with grounded plug



110 SERIES

1,200 LUMENS
2010-4001, 110 DEGREES OF LIGHT



210 SERIES

2,400 LUMENS, 210 DEGREES OF LIGHT
2020-4001




310 SERIES

7,200 LUMENS, 310 DEGREES OF LIGHT
2060-4001



A



B



C



D

WHAT HARD WORKERS DESERVE

UP TO 320 DEGREES OF LIGHT



MACHINE LIGHTS

Saf-T-Lite will help bring light to any compact or widespread operation. Choose from our various lumen options, fixture lengths and mounting solutions to suit your specific needs. Whatever the circumstance, Saf-T-Lite has the solution with industrial lights that are built by hand in the U.S.A.

LUMENS: 1,200 - 4,800

LIGHT: 5,000K

RATED: 50,000 hours

- > Fixture lengths 10" - 51"
- > 110, 210, 310 degrees of light angles
- > Oil resistant cord
- > X-Treme Shield™ (chemical resistant outer tube) models available
- > Different mounting and hanging options available

1632-4007



1413-2591*

MODEL NUMBER	TYPE/SERIES	WATTS	LUMENS	FIXTURE LENGTH	X-TREME SHIELD™	GAUGE	CORD TYPE	CORD LENGTH
1413-2591*	Stubby	6	620	10"	Yes	16/3	SJTOW-A	25'
1624-2001	Machine	10	1,100	17"	No	16/3	SJTOW-A	25'
1625-3026	Machine	12	1,400	42"	No	16/3	SJTOW-A	25'
1632-4007	Machine	12	1,400	51"	No	16/3	SJTOW-A	25'
1636-2000	Machine	15	1,600	20"	No	16/3	SJTOW-A	25'
1650-3000	Machine	18	2,160	25"	No	16/3	SJTOW-A	25'
● 2010-3000	110	10	1,200	27"	No	16/3	SJTOW-A	25'
● 2020-3003	110	20	2,400	51"	No	16/3	SJTOW-A	25'
2020-3015	210	20	2,400	27"	No	16/3	SJTOW-A	25'
2030-3005	310	30	3,600	27"	Yes	16/3	SJTOW-A	25'
2040-3000	210	40	4,800	51"	No	16/3	SJTOW-A	25'

● Ships in one business day or less

*Stubby comes with vapor clamps and two mag mounts

A. UNIVERSAL DRIVER

Light fixture will operate on 120VAC - 240VAC, 50/60 HZ

B. OIL RESISTANT CORD

Watertight, oil resistant, cold weather rated cord with grounded plug

C. AVAILABLE X-TREME SHIELD™

Protects your light with a chemical and solvent resistant outer tube coating (1413-2591, 2030-3005)

D. 5,000K BRIGHT LIGHT

All three series deliver clean, bright white light and is rated for 50,000 hours of life




110 SERIES

1,200 LUMENS, 110 DEGREES OF LIGHT
2010-3000




210 SERIES

2,400 LUMENS, 210 DEGREES OF LIGHT
2020-3015



310 SERIES

3,600 LUMENS, 310 DEGREES OF LIGHT
2030-3005





MILITARY GRADE STRING LIGHTS

STRING/SHELTER LIGHTS

Our military grade string and shelter lights are specifically engineered to supply the highest levels of performance, durability and longevity in extreme environments with prolonged use. The lights are bright enough to illuminate an entire shelter area with the ability to string up to 27 lights together.

LUMENS: 1,400 - 2,400

LIGHT: 5,000K

RATED: 50,000 hours

- > Thick walled polycarbonate outer tubes
- > Small diameter and large diameter options
- > Nema 5-15P grounded plug
- > Nema 5-15 receptacle
- > String up to 27 lights together
- > Many mounting options



1225-0500*



2020-5007

MODEL NUMBER	TYPE / SERIES	WATTS	LUMENS	FIXTURE LENGTH	SWITCH	GAUGE	CORD TYPE	CORD LENGTH INPUT/OUTPUT
1225-0500*	LD	12	1,400	40"	None	16/3	SJTOW-A	6' 1'
1625-5025	LD	12	1,400	45"	Inline	16/3	SJTOW-A	6' 1'
1650-5068	LD	18	2,160	25"	Inline	16/3	SJTOW-A	6' 1'
1905-5000	SD	12	1,400	40"	Inline	16/3	SJTOW-A	6' 1'
1905-5001	SD with blackout (red light)	12	1,400	40"	Inline	16/3	SJTOW-A	6' 1'
1905-5002	SD with blackout combo	12	1,400	40"	Inline	16/3	SJTOW-A	6' 1'
2020-5003	110	20	2,400	51"	Inline	16/3	SJTOW-A	6' 1'
2020-5007	110	20	2,400	27"	Inline	16/3	SJTOW-A	6' 1'

*Comes with horizontal hanging straps, power beyond

A. INTERLOCKING OUTLETS

Safely string 24 - 27 lights together (depending on model)

B. ON/OFF SWITCH

5.5 Input cord with inline on/off switch and NEMA 5-15P grounded plug. On-off switch does not affect lights downstream

C. MOUNTING ACCESSORIES AVAILABLE

Customize your light mount to fit your workspace needs

D. SD SERIES COMBO

Blackout and white light combo, red light is less visible from a distance, making it harder for enemies to detect the user's position



LD SERIES
2,160 LUMENS
1650-5068




SD SERIES WITH BLACKOUT COMBO
1,400 LUMENS
1905-5002





110 SERIES
2,400 LUMENS
2020-5003





MOUNT UP

HANDS FREE LIGHTING ACCESSORIES



MOUNTING ACCESSORIES

Vertical or horizontal, adjustable hanging straps or permanent mounting, large or small...however and wherever you need to hang your Saf-T-Lite, we have a mounting option that will do the job. Every one of our mounting accessories are designed to withstand high use and provide maximum security and versatility.

A. MAGNETIC MOUNT

Mount grips to your Stubby, Stubby II or Stubby XL light. Strong, magnet base with 58 pound pull force, keeps your light securely in place (5000-1030)

B. VERTICAL HANGING MOUNT

Mount snaps securely to your industrial light, hook rotates 360 degrees (5000-1055, 5000-1296)

C. FLEX LIGHT GRIP

Position your light where you want it for hands free lighting. Choose from a strong clamp or magnetic base, with 82 pounds of pull force (1060-4034, 1060-7034)

D. HOOK STRAP KIT

Light, padded hook keeps your project protected and your lamp securely in place (5000-0851)



● 1020-0002
THE KNUCKLE
 Magnetic base, multi-angle platform for the Stub™



1060-4034
MAGNETIC FLEX LIGHT GRIP
 3/4\"x6\" Magnetic base, for Stubby, Stubby II, Stubby XL



1060-7034
CLAMP FLEX LIGHT GRIP
 3/4\"x6\" 2\" Clamp, for Stubby, Stubby II, Stubby XL



5000-0003
STYLE A MAGMOUNT
 Magnetic base, for small diameter lights



5000-0851
HOOK STRAP KIT
 Set of two padded hooks



5000-0862
INDUSTRIAL LIGHT HANGING KIT
 48\" Set of two



● 5000-1030
MAGNETIC MOUNT
 Magnetic base mount, for Stubby, Stubby II, Stubby XL



5000-1051
INDUSTRIAL LIGHT DIRECT MOUNT



5000-1055
VERTICAL HANGING MOUNT
 For industrial lights



5000-1062
INDUSTRIAL LIGHT MOUNT
 With bracket mount



5000-1077
INDUSTRIAL LIGHT MAGNETIC MOUNT



5000-1149
SNAP STRAP HANGING KIT
 Set of two for industrial lights



5000-1296
HORIZONTAL HANGING HOOKS
 Set of two for industrial lights



5000-1360
24\" VELCRO HANGING STRAP KIT
 Set of two for industrial lights



5000-1711
48\" ADJUSTABLE STRAP KIT
 Set of two for diameter lights



**BUILT WITH
PRIDE IN
AMERICA**

saftlite.com | 260.824.3627

General Manufacturing Inc.
1336 W. Wiley Avenue
Bluffton, IN 46714